US ERA ARCHIVE DOCUMENT

Shaughnessy #: 122101

Date out of EAB: 12/1/83

TO:

Henry Jacoby

Product Manager #31

Registration Division (TS-767)

From:

Samuel M. Creeger , Chief

Environmental Chemistry Review Section No. 1

Exposure Assessment Branch

Hazard Evaluation Division (TS-769C)

Attached please find the EAB fate review of...

Reg./File No.: 1	00-617				
Chemical: CGA-642	50				
Type Product: F					
Product Name: Tilt					
Company Name: Ciba Ge					
Submission Purpose: HEA					
ZBB Code: ?		ACTION CO	DDE:	315	
Date in: <u>9/2/83</u>		EAB #:	3546		·
Date Completed: 1/4/84		TAIS (lev	els II)	-	Days
Deferrals To:					
Ecological Effects E	ranch				
Residue Chemistry Br	anch				
X Toxicology Branch					

4

1.0 INTRODUCTION

Ciba-Geigy has submitted an exposure evaluation for the use of Tilt® for sugarcane seed piece treatment.

2.0 Tilt: CGA - 64250

1-(2-(2,4-dichlorophenyl) 4-propyl-1,3-dioxolan-2-yl methyl) - 1H - 1,2,4 - triazole.

3.0 DISCUSSION

The following exposure situations were considered:

- 1. Mixer/Loader for sugarcane seed treatment.
- 2. Planter of sugarcane seed.
- 3. Clean up personnel for sugarcane seed treatment.

3.1 Mixer/Loader for sugarcane seed piece treatment.

- A. Use Pattern Information
 - Application rate: 0.021 lb ai/100 gallons of water as a dip (25 ppm).
 - 2. Exposure time 25 hrs/yr. Tilt is added to tank
 daily 300 days/yr 5 min/day
 - 3. Mixer/loader wears rubber gloves and long sleeved shirt (compound is a potential skin sensitizer).

B. Calculations

When a worker wore rubber gloves and a long sleeved shirt, dermal exposure was 0.23 mg/hr, using data for mixer/loaders from the field exposure studies on pecans (Tilt - 3.6E Honeycutt, R.C. 1983). Inhalation exposure is negilible.

Daily Exposure

0.23 mg/hr x 5 min/day x
$$\frac{1 \text{ hr}}{60 \text{ min}}$$
 = 0.02 mg/day.

Annual Exposure

0.02 mg/day x 300 days year = 6 mg/yr

Lifetime Daily Exposure

6 mg/yr x yr/ 365 days x 40 yr/ 70 yr = 0.0094 mg/day

3.2 Planter

We are unable to estimate exposure to planters as we have no appropriate model.

- 3.3 Clean-up personnel for sugarcane seed treatment.
 - A. Exposure Information
 - 1. Dermal exposure is negilible.
 - 2. Inhalation exposure is calculated based on the vapor pressure of the compound, the ideal gas law and the breathing rate of the individual performing the task.
 - 3. Assume a thin film of liquid covers bottom and sides of a 1600 ft³ (45,340 liters) bin [8 ft x 30 ft x 6.67 ft].
 - 4. The vapor pressure of tilt is $<3 \times 10^{-6}$ mm/hg.
 - 5. The breathing rate of an average man is 1.2×10^3 liters/hr.
 - 6. Workers perform chores 12 times/yr 3 hr/time.

B. Calculation

Hourly Exposure

$$PV = n RT$$

$$N = \frac{3 \times 10^{-6}}{760 \times 45,340} = 7.4 \times 10^{-6} \text{ moles}$$

$$0.0821 \times 293$$

$$\frac{7.4 \times 10^{-6} \text{ moles}}{45,340 \text{ liters}} \times \frac{342.2 \times 10^{3} \text{ mg}}{\text{moles}} = 5.5 \times 10^{-5} \frac{\text{mg}}{\text{liter}}$$

5.5 x 10^{-5} mg/liter x 1.2 x 10^{3} liters/hr = 6.6 x 10^{-2} mg/hr.

Daily Exposure

6.6 mg/hr x 3 hr/day = 19.8 mg/day.

Annual Exposure

19.8 mg/day x 12 day/yr = 237.6 mg/yr.

Lifetime Daily Exposure

237.6 mg.yr x yr/365 days x 40 yr/70 yr = 0.33 mg/yr

4.0 CONCLUSIONS AND RECOMMENDATIONS

The numbers generated by Ciba-Geigy have the following problems:

No estimate of exposure can be made for planters although EAB agrees with Ciba-Geigy that exposure would be low.

Ciba - Geigy assumes a 50 year work life for a 70 year lifetime. EPA generally uses a 40 year work life for a 70 year lifetime.

A dermal absorption of 24% was assumed. EAB defers to Tox Branch on this assumption and on the risk assessment.

Ether Saito

Esther Saito, Chemist Special Review Section 2 Exposure Assessment Branch Hazard Evaluation Division (TS-769C)

Joseph C. Reinert Ph.D., Chief Special Review Section 2 Exposure Assessment Branch Hazard Evaluation Division (TS-769C)

4